

Please note that the certificates of analysis are also conveniently available online and around the clock at www.worldaccount.basf.com

2015-05-11
 CPPU
 CHRISTOPHE.DUPOIS@BASF.COM
 +33 3-83299796
 Certificate No 3981
 Page 1 of 2

Inspection Certificate 3.1 according to EN 10204

Vegeles® AHA-LS 9955

10KG Plastics Jerricans
 Purchase Order/Customer Product#
 M78/2015-CF
 000000000050277573

Material	50277573
Order	6003083979 000010
Delivery	3413725679 000010
Lot	0013175919
Lot/Qty	40.000 KG
Total	40.000 KG
Transport	00000000000524836540

Manufacturing Location: FR, 54425 Pulnoy, 3 rue de Seichamps

Characteristic Method	Unit	Value	Lower Limit	Upper Limit
ORGANOLEPTIC CHARACTERISTICS		PASS		
PR.47				
TOTAL GERMS; <= 50 CFU/G		PASS		
Ph. Eur. 2.6.12				
PATHOGENS; ABSENT		PASS		
Ph. Eur. 2.6.13				
GRAM NEGATIVE BACTERIA; ABSENT		PASS		
Ph. Eur. 2.6.13				
PH; 100%		4.4	3.0	7.0
PR.14				
TOTAL NITROGEN	%	1.62	1.40	1.80
PR.19				
SACCHAROSE, FREE/HPLC	%	4.0	3.0	6.0
PR.111				
GLYCOLIC ACID	%	8.9	7.0	11.0
PR.153				
LACTIC ACID	%	8.7	7.0	11.0
PR.153				
MALIC ACID	%	0.52	0.40	0.80
PR.153				
TARTARIC ACID	%	0.53	0.40	0.80
PR.153				

Released by Chr. Dupuis

Production date 27.01.2015

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.

This is a computer-generated document. No signature is required.